

numen[®]

Aluminium modular protections for architecture




numen®

Fencings and railings



Standard dimensions




numen® reinterprets today's traditional architectural forms with rustproof and aluminium materials, modular applications, articulated systems adapted to the particular jobs as well as finishes in lacquered and anodised colours together with wood and cor-ten sublimation.

Balconies



Lattices



BASIC ELEMENTS


Covers and posts



Handrails




Vertical elements



The option exists, for all the models, of making the interior more solid with polyurethane resin in order to protect from dents and to reduce the metallic sound.


CONNECTIONS TO STUDS

Connections for fitting to posts: double and triple connections.



CONNECTIONS TO POSTS

A feature which allows connections to posts of between $\pm 35^\circ$.



DOOR LOCK



CONNECTIONS TO THE WALL

By means of a post screwed to the wall.




Wall attachments: by means of tie bar fastening to the wall in façade spaces (balconies and parapets) which allows a tolerance of 3cm.



ANCHORAGE BASES


For screwing the square post



For screwing the rectangular post



For fitting the rectangular post



Articulated for screwing







SUPPLY OF PREASSEMBLED CUSTOMISED MODULES

numen® supplies directly to the work site, divided into customised fabricated modules ready for installing in three types of packing case:

1. Box of railing parts
2. Box of posts
3. Box of accessories, covers, anchorage bases, screws, distribution work plans, invoices, etc.



ASSEMBLY OF THE RAILINGS



range of colours

ANODIZED



Silver grey



Steel



Quartz grey



Blue

TEXTURED METALLISED LACQUERED



Metal grey




Sable grey

The finishes here presented are standard for this series. Under order it is possible to produce many others.

Certification: QUALANOD and QUALICOAT.

LACQUERED



RAL 9010



RAL 3003



RAL 3005



RAL 5010



RAL 5013



RAL 6005



RAL 7035



RAL 8017

METAL SUBLIMATION



Cor-ten

WOOD SUBLIMATION



Cedar



Walnut



Pine



Sapely



Beech



Oak



Cherry tree



Green scandinavian pine



Blue scandinavian pine



ESPAÑA

Trenza Metal Área
Polígono Industrial Valcabado
Ctra. N-630, Km. 272.
49024 Zamora
Tel.: (+34) 980 509 219
Fax: (+34) 980 530 692
e-mail: info@trenzametall.com

**Oficina Técnica de
Atención al Cliente**
902 114 142

www.tubmetal.com
www.trenzametallarea.com

DEUTSCHLAND

Trenza Metal Área
Friedrichstraße 50
10117 Berlin
DEUTSCHLAND
Tel.: +49-30-20659-414
Fax: +49-30-20659-200
e-mail: info.de@trenzametall.com

FRANCE

Trenza Metal Área
Le Dôme
1, rue de La Haye – BP 12910
95731 ROISSY CDG CEDEX
FRANCE
Tél.: +33 (0)1 49 19 21 75
Fax: +33 (0)1 49 19 21 00
e-mail: info.fr@trenzametall.com

ITALIA

Trenza Metal Área
Viale Luca Gaurico, 9/11
00143 Roma
ITALIA
Tel.: +39 06 5483 2835
Fax: +39 06 5483 4000
e-mail: info.it@trenzametall.com

